
















## TECHNICAL FEATURES

MODEL: <b>CHIARA.ESNZ 1.</b>
SIZE: <b>30x90</b>
THICKNESS(mm): <b>8.7</b>
DATE: <b>17/10/2023</b>
CODE: <b>031.872.0001.09177</b>
GROUP: <b>GROUP BIII UNE-EN 14411 Annex L / SASO ISO 13006:2018 Annex L</b>
TILE TYPE: <b>GL</b>
FINISH: <b>RECTIFIED MATT</b>
FAMILY: <b>WHITE BODY WALL TILES</b>
NUMBER OF DESIGNS:



TEST	RESULT
 <b>UNE-EN ISO 10545-2</b> DIMENSIONAL FEATURES <b>COMPLIES WITH THE STANDARD</b>	
 <b>UNE-EN ISO 10545-3</b> WATER ABSORPTION <b>16%</b>	
 <b>UNE-EN ISO 10545-4</b> MODULUS OF RUPTURE - BREAKING STRENGTH <b>600-900 N</b>	
 <b>UNE-EN ISO 10545-4</b> MODULUS OF RUPTURE - BENDING STRENGTH <b>15-25 N/mm2</b>	
 <b>UNE-EN ISO 10545-8</b> LINEAR THERMAL EXPANSION <b>&lt;7,0 x 10<sup>-6</sup> °C<sup>-1</sup></b>	
 <b>UNE-EN ISO 10545-9</b> THERMAL SHOCK RESISTANCE <b>RESISTS</b>	
 <b>UNE-EN ISO 10545-11</b> CRAZING RESISTANCE <b>RESISTS</b>	
 <b>UNE-EN ISO 10545-13</b> CHEMICAL RESISTANCE - AMMONIUM CHLORIDE 100 G/L <b>A</b>	
 <b>UNE-EN ISO 10545-13</b> CHEMICAL RESISTANCE - SODIUM HYPOCHLORITE 20 MG/L <b>A</b>	
 <b>UNE-EN ISO 10545-13</b> CHEMICAL RESISTANCE - HYDROCHLORIC ACID 3% <b>COMPLIES WITH THE STANDARD</b>	
 <b>UNE-EN ISO 10545-13</b> CHEMICAL RESISTANCE - CITRIC ACID 100 G/L <b>COMPLIES WITH THE STANDARD</b>	
 <b>UNE-EN ISO 10545-13</b> CHEMICAL RESISTANCE - POTASSIUM HYDROXYDE 30 G/L <b>COMPLIES WITH THE STANDARD</b>	
 <b>UNE-EN ISO 10545-14</b> STAIN RESISTANCE - GREEN AGENT IN LIGHT OIL <b>5</b>	
 <b>UNE-EN ISO 10545-14</b> STAIN RESISTANCE - IODINE SOLUTION IN ALCOHOL <b>5</b>	
 <b>UNE-EN ISO 10545-14</b> STAIN RESISTANCE - OLIVE OIL <b>5</b>	

### Declaration of Performance:

[https://www.pamesa.com/ERP/4.0/empresas/151/045/ficheros/t00030006/111/DdP\\_DoP\\_N001CPR2013.pdf](https://www.pamesa.com/ERP/4.0/empresas/151/045/ficheros/t00030006/111/DdP_DoP_N001CPR2013.pdf)

TECHNICAL DEPARTMENT  
PAMESA CERÁMICA